

Electronic Supplementary Material to: Ocean Response to a Climate Change Heat-Flux Perturbation in an Ocean Model and Its Corresponding Coupled Model*

Jiangbo JIN^{1,2}, Xiao DONG¹, Juanxiong HE¹, Yi YU², Hailong LIU^{3,4}, Minghua ZHANG⁵, Qingcun ZENG¹,
He ZHANG¹, Xin GAO¹, Guangqing ZHOU¹, and Yaqi WANG^{3,4}

¹International Center for climate and Environment Sciences (ICCES), Institute of Atmospheric Physics,
Chinese Academy of Sciences, Beijing 100049, China

²State Key Laboratory of Satellite Ocean Environment Dynamics, Second Institute of Oceanography,
Ministry of Natural Resources, Hangzhou 310012, China

³State Key Laboratory of Numerical Modeling for Atmospheric Sciences and Geophysical Fluid Dynamics (LASG),
Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing 100049, China

⁴College of Earth and Planetary Sciences, University of Chinese Academy of Sciences, Beijing 100049, China

⁵School of Marine and Atmospheric Sciences, Stony Brook University, Stony Brook, New York, NY 11790, USA

ESM to: Jin, J. B., and Coauthors, 2022: Ocean response to climate change heat-flux perturbation in an ocean model and its corresponding coupled model. *Adv. Atmos. Sci.*, **39**(1), 55–66, <https://doi.org/10.1007/s00376-021-1167-y>.




Fig. S1. The pattern of shortwave flux bias relative to control experiment (a) OGCM, (b) CGCM, and (c) their difference (units: W m^{-2}).




Fig. S2. The pattern of sea surface salinity bias relative to control experiment (a) OGCM, (b) CGCM, and (c) their difference (units: psu).